


How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net



How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

Welcome into my guide about how to make a config for sentry mba. I will teach you how to do everything in an easy step by step guide. We will see how to make a simple config, and how to make a config which capture the datas on a page, for example the number of games.

This guide has been written by Cl0ud from fkn0wned.net.


You can't resell this guide without my authorization; doing so will result into a scam report.

A scam report will be open too if you leak this ebook, or if you dispute the purchase of this ebook.


How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

The first step is to open sentry mba :




You then go on the login page the site of your choice. I will take battlefield heroes as example



How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

We then take the url of the login page and we paste it on the first textbox. After that we click on HTTP Header, we tick MW as request mode, and click on the wizard thingy.




We write the login url in the “Action Url”, we click on “Analyze Login Page”, and finally we click on “Use Data”


How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

We then write some random infos and look at the error message, it will be our failure key.



We then go back on sentry mba and write this phrase as failure key




How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

After that, we go back on the site, and log in with a working account.



Do you see the word logout ? it will be our success key.



We then load a combolist and click on Start !


On the second part of this Guide, we will see how to add a capture feature to our config.

How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

Now we will see how to make a config which capture data from the page. I will take a playstation config as exemple.

We will go back here:




How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

Now you click on the wizard thingy near "Keyword capture Stage"

You will see this:



The screenshot shows a window titled "Parsing Code Wizard" with a close button in the top right corner. The window is divided into several sections:

- Build Parsing Code:** This section contains three input fields: "Field Name" with a dropdown menu showing "Number of Games", "Left String" with the text "<div id='indicatorContent_mediaCat' class='homeHeaderIndicator'>", and "Right String" with the text "</div>". A "Size Limit" field is set to "0".
- Other Options:** This section contains two rows of options. The first row has "Function" set to "None", a numeric input field with "1024", and an empty "Prefix" field. The second row has "Target" set to "Default" and an empty "Suffix" field.
- HTML Source ?** This section has a "Search:" input field and a large, empty text area with a light green background and a scrollbar.
- Updated Parsing Code:** This section at the bottom contains three empty text input fields labeled "Updated Field Name:", "Updated Parsing Code:", and "Parsing Code Output:".

How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

Now you go on the page that you want to capture, right click, and select “source code of the page” or something which sound like this, and copy past it on the green square like this:

The screenshot shows the 'Parsing Code Wizard' window with the following configuration:


- Build Parsing Code**
 - Field Name: Number of Games
 - Left String: <div id="indicatorContent_mediaCat" class="homeHeaderIndicator">
 - Right String: </div> (Size Limit: 0)
- Other Options**
 - Function: None (1024) Prefix:
 - Target: Default Suffix:
- HTML Source** (with search box)

```
<!DOCTYPE html PUBLIC "-//W3C//DTD XHTML 1.0 Transitional//EN" "http://www.w3.org/TR
<html xmlns="http://www.w3.org/1999/xhtml">
<head>
<meta http-equiv="Content-Type" content="text/html; charset=utf-8" />
<meta http-equiv="X-UA-Compatible" content="IE=Edge" />
<title id="pageTitle">Accueil&nbsp;: Sony Entertainment Network</title>
<link rel="shortcut icon" href="/images/favicons/pc/favicon.ico" />
<link id="styleSheet" rel="stylesheet" media="screen" type="text/css" href="http
<!--[if lt IE 8]>
```
- Updated Parsing Code**
 - Updated Field Name:
 - Updated Parsing Code:
 - Test Updated Parsing Code
 - Parsing Code Output:

How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net

Now, for example, I want to capture the number of game, I select the number of game, right click, “source code of the selection”, and I fill the form like this:



Now click on “update”, then on “test updated parsing” code, and finally on the “update” button at the bottom of the form.

That’s done, you made your own config with capture features!

Thank you for buying and reading this ebook 😊

How To Make A Config For Sentry MBA

By Cl0ud from fkn0wned.net